

H35.89 Other specified retinal disorders
 H35.9 Unspecified retinal disorder

H36 Retinal disorders in diseases classified elsewhere

Code first underlying disease, such as:
 lipid storage disorders (E75.-)
 sickle-cell disorders (D57.-)

EXCLUDES 1 arteriosclerotic retinopathy (H35.0-)
 diabetic retinopathy
 (E08.3-, E09.3-, E10.3-, E11.3-, E13.3-)

Glaucoma (H40-H42)

H40 Glaucoma

EXCLUDES 1 absolute glaucoma (H44.51-)
 congenital glaucoma (Q15.0)
 traumatic glaucoma due to birth injury (P15.3)

GUIDELINES Section I.C.7.a.1)
 Assign as many codes from category H40, Glaucoma, as needed to identify the type of glaucoma, the affected eye, and the glaucoma stage.

GUIDELINES Section I.C.7.a.2)-3)
 When a patient has bilateral glaucoma and both eyes are documented as being the same type and stage, and there is a code for bilateral glaucoma, report only the code for the type of glaucoma, bilateral, with the seventh character for the stage.

When a patient has bilateral glaucoma and each eye is documented as having a different type or stage, and the classification distinguishes laterality, assign the appropriate code for each eye rather than the code for bilateral glaucoma.

H40.0 Glaucoma suspect

DEFINITION Increase in intraocular pressure causing pathologic changes in the optic disk and defects in the field of vision.


- H40.00 Preglaucoma, unspecified**
 - H40.001 Preglaucoma, unspecified, right eye
 - H40.002 Preglaucoma, unspecified, left eye
 - H40.003 Preglaucoma, unspecified, bilateral
 - H40.009 Preglaucoma, unspecified, unspecified eye
- H40.01 Open angle with borderline findings, low risk**
 Open angle, low risk
 - H40.011 Open angle with borderline findings, low risk, right eye
 - H40.012 Open angle with borderline findings, low risk, left eye
 - H40.013 Open angle with borderline findings, low risk, bilateral
 - H40.019 Open angle with borderline findings, low risk, unspecified eye
- H40.02 Open angle with borderline findings, high risk**
 Open angle, high risk
 - H40.021 Open angle with borderline findings, high risk, right eye
 - H40.022 Open angle with borderline findings, high risk, left eye
 - H40.023 Open angle with borderline findings, high risk, bilateral
 - H40.029 Open angle with borderline findings, high risk, unspecified eye
- H40.03 Anatomical narrow angle**
 Primary angle closure suspect
 - H40.031 Anatomical narrow angle, right eye
 - H40.032 Anatomical narrow angle, left eye
 - H40.033 Anatomical narrow angle, bilateral
 - H40.039 Anatomical narrow angle, unspecified eye
- H40.04 Steroid responder**
 - H40.041 Steroid responder, right eye
 - H40.042 Steroid responder, left eye
 - H40.043 Steroid responder, bilateral
 - H40.049 Steroid responder, unspecified eye

- H40.05 Ocular hypertension**
 - H40.051 Ocular hypertension, right eye
 - H40.052 Ocular hypertension, left eye
 - H40.053 Ocular hypertension, bilateral
 - H40.059 Ocular hypertension, unspecified eye
- H40.06 Primary angle closure without glaucoma damage**
 - H40.061 Primary angle closure without glaucoma damage, right eye
 - H40.062 Primary angle closure without glaucoma damage, left eye
 - H40.063 Primary angle closure without glaucoma damage, bilateral
 - H40.069 Primary angle closure without glaucoma damage, unspecified eye

H40.1 Open-angle glaucoma

Open-angle glaucoma

An increase in fluid pressure in the eye resulting from the outflow of ocular fluid being blocked



H40.10X- Unspecified open-angle glaucoma

One of the following 7th characters is to be assigned to code H40.10 to designate the stage of glaucoma

0	stage unspecified
1	mild stage
2	moderate stage
3	severe stage
4	indeterminate stage

GUIDELINES Section I.C.7.a
 When a patient has bilateral glaucoma and both eyes are documented as being the same type and stage, and the classification does not provide a code for bilateral glaucoma (i.e., subcategories H40.10, H40.11 and H40.20), report only one code for the type of glaucoma with the appropriate seventh character for the stage.

When a patient has bilateral glaucoma and each eye is documented as having a different type, and the classification does not distinguish laterality (i.e., subcategories H40.10, H40.11 and H40.20), assign one code for each type of glaucoma with the appropriate seventh character for the stage.

When a patient has bilateral glaucoma and each eye is documented as having the same type, but different stage, and the classification does not distinguish laterality (i.e., subcategories H40.10, H40.11 and H40.20), assign a code for the type of glaucoma for each eye with the seventh character for the specific glaucoma stage documented for each eye.

H40.11X- Primary open-angle glaucoma

Chronic simple glaucoma

One of the following 7th characters is to be assigned to code H40.11 to designate the stage of glaucoma

0	stage unspecified
1	mild stage
2	moderate stage
3	severe stage
4	indeterminate stage