

DEFINITION Fever, chest pain, pleuritis, and pericarditis weeks or months after heart injury caused by surgery or myocardial infarction.

- 124.8 **Other forms of acute ischemic heart disease** A
- 124.9 **Acute ischemic heart disease, unspecified** A

EXCLUDES 1 ischemic heart disease (chronic) NOS (I25.9)

+ I25 Chronic ischemic heart disease

Use additional code to identify:
 chronic total occlusion of coronary artery (I25.82)
 exposure to environmental tobacco smoke (Z77.22)
 history of tobacco use (Z87.891)
 occupational exposure to environmental tobacco smoke (Z57.31)
 tobacco dependence (F17.-)
 tobacco use (Z72.0)

GUIDELINES Section I.C.9.b
 ICD-10-CM has combination codes for atherosclerotic heart disease with angina pectoris. The subcategories for these codes are I25.11, Atherosclerotic heart disease of native coronary artery with angina pectoris, and I25.7, Atherosclerosis of coronary artery bypass graft(s) and coronary artery of transplanted heart with angina pectoris.

When using one of these combination codes it is not necessary to use an additional code for angina pectoris. A causal relationship can be assumed in a patient with both atherosclerosis and angina pectoris, unless the documentation indicates the angina is due to something other than the atherosclerosis.

If a patient with coronary artery disease is admitted due to an acute myocardial infarction (AMI), the AMI should be sequenced before the coronary artery disease.

+ I25.1 Atherosclerotic heart disease of native coronary artery


Atherosclerotic cardiovascular disease
 Coronary (artery) atheroma
 Coronary (artery) atherosclerosis
 Coronary (artery) disease
 Coronary (artery) sclerosis
Use additional code, if applicable, to identify:
 coronary atherosclerosis due to calcified coronary lesion (I25.84)
 coronary atherosclerosis due to lipid rich plaque (I25.83)

EXCLUDES 2 atheroembolism (I75.-)
 atherosclerosis of coronary artery bypass graft (s) and transplanted heart (I25.7-)

+ I25.10 Atherosclerotic heart disease of native coronary artery without angina pectoris A

Atherosclerotic heart disease NOS
DEFINITION Clogging of coronary arteries with fatty plaque build-up, restricting blood flow and hardening the arteries.
 AHA: 2Q 2015, 17
 AHA: 4Q 2013, 128
 AHA: 4Q 2012, 92

Atherosclerotic heart disease of native coronary artery without angina pectoris



+ I25.11 Atherosclerotic heart disease of native coronary artery with angina pectoris

CODING TIP ✓ When a patient presents with both coronary artery disease (CAD) / atherosclerotic heart disease and angina, a code from I25.11- should be assigned. If the specific type of angina is not specified in the clinical record, assign code I25.119.

+ I25.110 Atherosclerotic heart disease of native coronary artery with unstable angina pectoris A

EXCLUDES 1 unstable angina without atherosclerotic heart disease (I20.0)

+ I25.111 Atherosclerotic heart disease of native coronary artery with angina pectoris with documented spasm A

EXCLUDES 1 angina pectoris with documented spasm without atherosclerotic heart disease (I20.1)

+ I25.118 Atherosclerotic heart disease of native coronary artery with other forms of angina pectoris A

EXCLUDES 1 other forms of angina pectoris without atherosclerotic heart disease (I20.8)

AHA: 2Q 2015, 16-17

+ I25.119 Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris A

Atherosclerotic heart disease with angina NOS
 Atherosclerotic heart disease with ischemic chest pain

EXCLUDES 1 unspecified angina pectoris without atherosclerotic heart disease (I20.9)

+ I25.2 Old myocardial infarction A

Healed myocardial infarction
 Past myocardial infarction diagnosed by ECG or other investigation, but currently presenting no symptoms

GUIDELINES Section I.C.9.e.1)
 For old or healed myocardial infarctions not requiring further care, code I25.2 may be assigned.

+ I25.3 Aneurysm of heart

Mural aneurysm
 Ventricular aneurysm

+ I25.4 Coronary artery aneurysm and dissection

+ I25.41 Coronary artery aneurysm
 Coronary arteriovenous fistula, acquired
EXCLUDES 1 congenital coronary (artery) aneurysm (Q24.5)

+ I25.42 Coronary artery dissection

+ I25.5 Ischemic cardiomyopathy
EXCLUDES 2 coronary atherosclerosis (I25.1-, I25.7-)

+ I25.6 Silent myocardial ischemia

+ I25.7 Atherosclerosis of coronary artery bypass graft(s) and coronary artery of transplanted heart with angina pectoris

Use additional code, if applicable, to identify:
 coronary atherosclerosis due to calcified coronary lesion (I25.84)
 coronary atherosclerosis due to lipid rich plaque (I25.83)

EXCLUDES 1 atherosclerosis of bypass graft (s) of transplanted heart without angina pectoris (I25.812)
 atherosclerosis of coronary artery bypass graft (s) without angina pectoris (I25.810)
 atherosclerosis of native coronary artery of transplanted heart without angina pectoris (I25.811)
 embolism or thrombus of coronary artery bypass graft (s) (T82.8-)

+ I25.70 Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris

+ I25.700 Atherosclerosis of coronary artery bypass graft(s), unspecified, with unstable angina pectoris A

EXCLUDES 1 unstable angina pectoris without atherosclerosis of coronary artery bypass graft (I20.0)